



## VGA Cable, M/M

118810 | 118817 | 118811 | 118812 | 118813 | 118814  
118815 | 118816 |

The equip<sup>®</sup> VGA Cable with metal shell is constructed with sturdy knurled screws and ferrite cores to eliminate unwanted interference from getting into your signal. That ensures a reliable connection between the monitors or projectors and any other VGA-interfaced equipment.

### | Key Features

- HDB15 3+7 Cable, M/M Jack to Jack Connector
- Built with knurled bolt and ferrite beads

### | Specification

	VGA 640x480	SVGA 800x600	XGA 1024x768	SXGA+ 1400x1050	UXGA 1600x1200	QXGA 2048x1536	WXGA 1280x720	WSXGA+ 1680x1050	WUXGA 1920x1200
118810	v	v	v	v	v	v	v	v	v
118817	v	v	v	v	v	v	v	v	v
118811	v	v	v	v	v	v	v	v	v
118812	v	v	v	v	-	-	v	-	-
118813	v	v	-	-	-	-	-	-	-
118814	v	v	-	-	-	-	-	-	-
118815	v	v	-	-	-	-	-	-	-
118816	v	v	-	-	-	-	-	-	-



[www.equip-info.net](http://www.equip-info.net)

## | Ordering Information

PN	EAN	Packing	Length	PN	EAN	Packing	Length
<b>118810</b>	4015867513897	Poly Bag	1.0m	<b>118813</b>	4015867175552	Poly Bag	8m
<b>118817</b>	4015867176054	Poly Bag	1.8m	<b>118814</b>	4015867175569	Poly Bag	10m
<b>118811</b>	4015867513903	Poly Bag	3.0m	<b>118815</b>	4015867175576	Poly Bag	15m
<b>118812</b>	4015867513910	Poly Bag	5.0m	<b>118816</b>	4015867175583	Poly Bag	20m



