




133412 USB-C to HDMI Cable, USB-C Male to HDMI Male, 2m, 4K/30Hz, USB-C Display Cable, USB-C DP Alt Mode to HDMI

Product Images





Short Description

- **Connector type:** USB-C male to HDMI male.
- **Resolution support:** Up to 4K/30Hz (3840 × 2160).
- **Performance:** Stable digital video output with gold-plated connectors.
- **DP Alt Mode:** Requires a USB-C port with DisplayPort Alternate Mode.
- **Plug-and-play:** No drivers or additional software needed.
- **Compatibility:** Works with laptops, tablets, and phones with USB-C DP Alt Mode.
- **Cable length:** 2.0m.

Description

The 133412 USB-C to HDMI cable provides a direct and reliable connection from your USB-C device to an HDMI display. Designed for clear, stable video transmission, it supports resolutions up to 4K/30Hz, making it suitable for work, streaming, and presentations. Gold-plated connectors help maintain signal quality, while the plug-and-play design keeps setup simple for any USB-C device that supports DisplayPort Alternate Mode. The 2.0m cable length offers extra flexibility for desktop and meeting room layouts.

Additional Information

Harmonized System (HS) code.	853690
Customs product code (TARIC).	8536901000
Angled Plug.	No
Max. Resolution.	4K/30Hz
Connector 1.	USB-C, male
Connector 2.	HDMI-A, male
Approval and Compliance.	RoHS
Operating temperature.	0°C ~ 40°C
Package Contents.	USB-C to HDMI Cable
Color.	Black
EAN.	4015867228692
Model Number.	133412
Cable Length.	2m
Dimensions (W x D x H).	4.5 x 4.5 x 2000 mm
Product weight (kg).	0.08
Cable Jacket material.	PVC
Conductor size (AWG).	32AWG
Material.	Plastic
Standards.	HDMI 1.4
Video Output Port.	HDMI

