



404537 Cat.6 U/UTP Installation Cable, 250MHz, 1GbE, PoE Support, PVC Jacket, CPR Eca, 305m, Network Installation Cable

Product Images



Short Description

- **Cable Category:** Cat.6 U/UTP installation cable
- **Transmission Performance:** 1G Ethernet, up to 250MHz

- **Shielding:** Unshielded (U/UTP)
- **Conductor:** Solid bare copper, AWG 23/1
- **PoE Support:** Power over Ethernet supported
- **Jacket Type:** PVC
- **Fire Rating:** CPR Class Eca (EN 50575:2014 + A1:2016)
- **Compliance:** RoHS compliant
- **Color:** RAL 7035 (Grey)
- **Package:** EZ box
- **Length:** 305m

Description

404537 Cat.6 U/UTP Installation Cable is designed for structured cabling deployments supporting stable 1G Ethernet transmission with bandwidth performance up to 250MHz.

With a length of 305 meters, this bulk cable is suitable for medium to large-scale installations in commercial and professional network environments such as offices, schools, and industrial facilities. It supports PoE (Power over Ethernet), allowing network devices to be powered through the Ethernet cable.

The cable features a solid bare copper conductor (AWG 23/1) and a durable PVC jacket for mechanical protection. It complies with CPR fire protection Class Eca (EN 50575) and RoHS requirements, and is supplied in an EZ box for convenient installation and handling.

Additional Information

Harmonized System (HS) code.	854449
Customs product code (TARIC).	8544499100
Shielded.	No
Approval and Compliance.	RoHS
Package Contents.	Cat.6 U/UTP Installation Cable
Color.	Grey
EAN.	4015867239353
Model Number.	404537
Cable Length.	305m
Dimensions (W x D x H).	0.55 x 0.55 x 305000 mm
Product weight (kg).	12.5
CPR Certified	Eca
Category.	Cat.6
Conductor material.	Copper
Conductor size (AWG).	23AWG
Cable Jacket material.	PVC

