

DANTE04B M.2 SATA/NVMe SSD Enclosure USB 3.2 Gen 2, Dual Protocol

Product Images









Short Description

- 1. Supports M.2 SSD in sizes 22*30mm, 22*42mm, 22*60mm and 22*80mm
- 2. 1 x M Key M.2 socket for PCIe (NVMe) / SATA SSD with M/B+M Key connector
- 3. USB 3.2 Gen 2 super speed (10Gbps)
- 4. Supports UASP
- 5. Simple Plug and Play installation
- 6. Aluminum casing for heat dissipation
- 7. Compact screwless casing

Description

This M.2 SSD enclosure offers you steady and efficient data transmission, with transfer speeds of up to 10Gbps. The USB 3.2 Gen 2 super speed connection is also compatible with USB 3.0/USB 2.0. USB Type-C interface enhances ease of use for connecting USB devices. An ultra-slim aluminum casing ensures efficient heat dissipation. Perfect for transferring large video files and making backups.

Additional Information

Drive compatibility

Compatible operating systems

Operating temperature

Product weight (kg)

Color EAN

Model Number

Package Contents

Data rate

Dimensions (W x D x H)

Case Material USB version Connector M.2 SATA SSD, M.2 PCIe NVMe SSD

Windows XP Windows Vista Windows 7 Windows 8

Windows 10 Mac OS X 10.7 and higher

0°C ~ 45°C

0.065

Black

4015867229521

DANTE04B

DANTE04B USB-C and USB-A 2-in-1 cable Fixed fasteners

Multilingual quick installation guide

10Gbps

38.4 x 104.5 x 12.5 mm

Aluminum

3.2 Gen 2 (3.1 Gen 2)

USB-C female

