

FEP-0800 Έκδοση υλικού (h/w): 1



8 FE PoE Switch,90W

FEP-0800 is a 8-port 10/100Mbps Fast Ethernet Switch with Power over Ethernet (PoE) capability. With 8 dip switches, each PoE port can be manually set for On-Off control. FEP-0800 supports up to 30W on each LAN port when the DIP switch is in the ON position. Using a LevelOne PoE repeater, it is possible to extend the connection a further 100 meters, or even daisy-chain several PoE repeaters together for greater distances. Dual 10/100Mbps ports can connect with other edge switches or NVR as uplink ports.



1. LED Indicators
2. PoE Dip Switch
3. 10/100Mbps RJ-45 PoE Ports

4. Power Port
5. Wall-Mountable

Βασικά χαρακτηριστικά

- Ο έλεγχος ροής IEEE 802.3x παρέχει προστασία ενάντια στην απώλεια πακέτων για αξιόπιστη μετάδοση δεδομένων
- 10/100Mbps-Full/Half-duplex, Auto-Negotiation, Auto-MDI/MDIX
- PoE on/off control per port by dip switches
- Συνολικός προϋπολογισμός ενέργειας PoE: 90W, έως και 30W ανά θύρα
- Απλή εγκατάσταση τοποθέτησης και άμεσης λειτουργίας (Plug and Play)

Προδιαγραφές

System Specifications

Buffer Memory (KB):
64KB

Connectors and Cabling:

8 x 10/100Base-TX RJ-45 PoE Ports

Button:

PoE Power On/Off Switch

Indicator:

Power, Active, 10/100M, PoE

Transmission Method:

Store-and-Forward

Power:

Power Consumption: < 90W

Power Input: 100-240V AC, 50-60 Hz, 56VDC out, External Power Supply

Standards & Protocols:

IEEE 802.3 10-BASE-T, Ethernet

IEEE 802.3u 100-BASE-TX, Fast Ethernet

IEEE 802.3x Full-duplex Flow Control

Features

PoE:

Power Budget: Max. 85W

Power Output: 52V DC, up to 30W per port

Protection: PoE over current & PoE circuit sorting protection,

Pin Assignment: 4/5(+), 7/8(-)

Performance

Backplane (Gbps):

1.6Gbps

MAC Address Table:

1K

Data Transfer Rate:

10/100Mbps

Packet Forwarding Rate:

100Mbps port - 148,000pps

10Mbps port - 14,880pps

Environment

Temperature (°C):

Operating: 0°C ~ 45°C

Storage: - 40°C ~ 70°C

Humidity (Non-condensing):

Storage: 10% ~ 90%

Operating: 10% ~ 90%

Physical Specifications

Dimensions (W x D x H mm):

165 x 99 x 41 mm

Weight (g):

700g


Others

Approval and Compliance:

FCC, CE

Deployment:
Desktop

Διάγραμμα



Order Information

FEP-0800

Περιεχόμενα συσκευασίας

Power Adapter
User Manual



All mentioned brand names are registered trademarks and property of their owners.
Copyright © Digital Data Communications GmbH, Germany. All Rights Reserved.