



Art No. LC701GE/US, LC901GE/US

## 17"/19" LCD KVM Console with German/US keyboard


The LCD console module is featuring an integrated 17"/19" LCD panel; over-thin keyboard, and touchpad in 1U Rack-mountable housing. With A Grade 17"/19" TFT LCD, The highest resolution: 1920x1080/1680x1200 60HZ; the optimum resolution: 1280x1024/1280x1024 60HZ; Compared with traditional keyboards, monitor and mouse, it could save almost 85% space.

### Feature:

#### Control Platform

- Control platform with LCD, keyboard, mouse and single port KVM switch.
- 1U height, suitable for 19" standard cabinet installation and metal structure.
- 17/19" LCD screen with high brightness, high clear and high resolution.
- Control platform can be totally pulled out from the cabinet and the LCD screen can be turned on to 120 degrees.
- Ultra thin keyboard with keypad.
- Mouse touch board with two-function button.
- Front panel with lock to prevent damage by accident.
- Built-in power.
- When pulling control platform out from cabinet, the power turns on automatically. When pushing it into the cabinet, the power turns off automatically.
- An easy to use OSD menu.
- LC701GE / LC901GE – with German keyboard layout; LC701US / LC901US – with US keyboard layout

#### Rear View:





Art No. LC701GE/US, LC901GE/US

## 17"/19" LCD KVM Console with German/US keyboard

### Specification:

Model	LC701GE/LC701US	LC901GE/LC901US
<b>LCD Monitor</b>		
Monitor	17" SXGA Color TFT-LCD	19.0" SXGA Color TFT-LCD
Active Area	337.920x270.336mm	376.32x301.056mm
Resolution (Optimal)	1280x1024 60HZ	1280x1024 60HZ
Color	16,194,227	16.7M colors (RGB 8-bit data)
Brightness	300 (Typ)	300 (center, Typ) @ 7.5mA
Contrast Ratio	1000 : 1 (Typ)	1300:1 (Typ)
Back-light	Top/Bottom edge side, CCFL type	CCFL four lamps
Pixel Pitch	0.264(H)x0.264(W)	0.294 (per one triad) x 0.294
LCD MTBF	50,000 hours	50,000 hours
Input power	DC 12V	DC 12V
<b>Keyboard</b>		
Keyboard	99keys	99keys
Compatible IBM/AT	WIN95/98/98SE/ME/2000/XP, VISTA, WIN 7/8, WIN NT, UNIX, LINUX	
Port	Standard PS/2&USB	Standard PS/2&USB
Using life	> 1.000.000 times	> 1,000,000 times
<b>Mouse</b>		
X/Y resolution	1000dots/inch (40x40/mm)	1000dots/inch (40x40/mm)
Hardware connector	Standard PS/2&USB	Standard PS/2&USB
OS support	WIN95/98/98SE/ME/2000/XP, VISTA, WIN 7/8, WIN NT, UNIX, LINUX	
Using life	> 1.000.000 dots	> 1.000.000 dots
<b>Power built-in</b>		
Power input(AC)	100V-230V	100V-230V
Using life	MTBF>60,000 hours, 25°C	MTBF>60,000 hours, 25°C

\* The specifications and pictures are subject to change without notice.  
\*All trade names referenced are the registered namework of their respective owners.





Art No. LC701GE/US, LC901GE/US

## 17"/19" LCD KVM Console with German/US keyboard

### Specification:

Model	LC701GE/LC701US	LC901GE/LC901US
PC ports	1	
VGA Resolution (Highest)	1920x1080 / 60HZ	1680x1200 / 60HZ
VGA bandwidth	300MHz	
House color	Black	
House	Metal	
Gross weight	21.35Kg	19.13Kg
Dimensions	640 x 443 x 42mm / 630 x 450 x 42mm	
Rack installation depth	600mm ~ 1200mm (Adjustable)	
Operating/Storage Temp.	0 ~ 50°C / -20~60°C	

Item no.	Description	EAN Code
LC701GE	17" LCD KVM Console with German keyboard	4052792028874
LC901GE	19" LCD KVM Console with German keyboard	4052792028881
LC701US	17" LCD KVM Console with US keyboard	4052792028898
LC901US	19" LCD KVM Console with US keyboard	4052792028904

### Package Contents:

- 1 x 17" or 19" LCD Console
- 1 x AC power cord
- 1 x USB and PS2 connection cable
- 1 x User Manual

### Packaging Information:

- Packing Dimension: 210 x 260 x 62mm
- Packing Weight: 0.5kg
- Carton Dimension: 640 x 400 x 278mm
- Carton Q'ty: 20pcs
- Carton Weight: 11.5kg

