


SFP-3111 Version: 3

1.25Gbps Multi-mode SFP Transceiver, 2km, 1310nm

LevelOne SFP-3111 is a high performance and cost-effective multi-mode SFP transceiver. Intended for use with Gigabit Ethernet, it provides up to 1.25 Gbps bi-directional data transfer rate on a single duplex fiber core. For use with 50 and 62.5 micron fiber cables, it can reach a distance of up to 2km. The SFP-3111 transceiver operates using a wavelength of 1310nm with a FP LD Laser Diode light source and has a LC connector.



Key Features

- 1310nm FP LD
- Data Rate: 1.25Gbps, NRZ
- Single +3.3V Power Supply
- RoHS Compliant and Lead-free
- AC/AC Differential Electrical Interface
- Compliant with Multi-Source Agreement (MSA)
- Small Form Factor Pluggable (SFP)
- Duplex LC Connector
- Compliance with specifications for IEEE-802.3z Gigabit Ethernet at 1.25Gbps
- Compliance with ANSI specifications for Fiber Channel applications at 1.06Gbps
- No configuration or installation software required
- Eye Safety Designed to meet LASER Class 1 comply with EN60825-1



Specifications

System Specifications

Standards & Protocols:

IEEE 802.3z Gigabit Ethernet
SFP Multi-Sourcing Agreement(MSA)

Connectors and Cabling:

Duplex LC Connector, Multimode fiber(MMF)

Wavelength(nm):

1310nm FP Laser Diode

Optical Receive Sensitivity:

-23 dBm

Optical Link Power Budget:

13.5 dB

Power Input:

Supply Voltage: 3.3V
Max Voltage/Current: 6V/300mA

Features

General:

Hot-swappable

Performance

Data Transfer Rate:

1.25 Gbps Bi-directional data link

Operating Distance:

up to 2km (62.5/125?m)
Fiber channel up to 1.06Gbps

Optical Transmission Power:

-9.5 ~ +1 dBm

Environment

Temperature (°C):

Operating: 0°C ~ 70°C
Storage: -40 ~ 85°C

Humidity (Non-condensing):

5 ~ 95%

Physical Specifications

Dimensions (W x D x H mm):

13.7 x 56.5 x 8.95 mm

Weight (g):


20g

Approval and Compliance

EMI/EMS:

Class 1 eye safety and comply with EN 60825-1
CE, FCC, RoHS

Diagram



Order Information

SFP-3111

Package Contents

SFP-3111

No liability or responsibility for any errors or omissions in the content.
Specifications are subject to change without notice.
All mentioned brand names are registered trademarks and property of their owners.
Copyright © Digital Data Communications GmbH, Germany. All Rights Reserved.